

FIG. 1A





FIG. 18



F16.2




FIG. 3A





FIG. 3B

FIG. 4A






FIG. 4B




FIG. 4C




FIG. 4D




FIG. 4E







FIG. 4F

2025 RELEASE UNDER E.O. 14176













FIG. 4J

22-141 50 SHEETS  
22-142 100 SHEETS  
22-144 200 SHEETS








FIG. 6A




FIG. 6B



700





FIG. 7

FIG. 8



00424497 404599




FIG. 9

FIG. 10A





FIG. 10B

1050



Detail

1100  
↓




FIG. 11




FIG. 12

FIG. 13A




FIG. 13B






FIG. 14A




FIG. 14B




FIG. 14C




FIG. 14D




FIG. 14E





FIG. 14F



(cont.)





FIG. 14H





1600





FIG. 16

A diagram of a rectangular object, labeled 1700, which has a square feature, labeled 1702, on its top-left corner. The square feature 1702 contains an 'X' mark.

FIG. 8 is a perspective view of a device 1800. The device 1800 includes a central body 1802 with two square openings 1804. Each opening 1804 contains a cross-shaped structure 1806. The device 1800 is flanked by two rectangular sections 1808. A dimension line indicates a width of 1810.

1900  
↓





FIG. 20





2400




FIG. 23






FIG. 25A




FIG. 25B




Fig. 26




FIG. 27

